

Tel: 01327 311011
FAX: 01327 300216
Email: sales@kaver.co.uk
Web: www.foxstandpipes.co.uk

foxstandpipes
9-11 Siddeley Way
Royal Oak Estate
Daventry
Northants
NN11 8PA



FOX Sampling

Water Quality Sampling Point



The **FOX** Sampling Pillar, water quality sampling point

Used throughout the UK and specifically designed for sampling point applications:

- Chrome sampling tap fitted with in-line double check valve and insulated pipework pre-installed
- Cu or MDPE plumbing option
- Stainless steel splash back protects unit during flame sterilisation
- Hinge down cover forms work surface for sampling utensils
- Installed height 1.1m (1.5m pillar, part buried installation)
- Free draining
- Insulated lid with gasket seal to reduce risk of frost damage
- Secure draw-latch closure with padlock security option (padlock not supplied).
- Quality GRP construction with UV stable gel-coat finish

Chrome sampling tap fitted with in-line double check valve and insulated pipework pre-installed



Secure draw-latch closure with padlock security option and gasket seal to lid.

FOX Sampling

Water Quality Sampling Point

Detailed Description:

FOX Sampling pillar, water quality sampling point. FRP construction using Lloyds approved materials and finished with UV stable Olive Green gel-coat. Drop down tap cover with draw-latch closure to accept padlock (not supplied), insulation and gasket seal. Fitted with chrome sampling tap and stainless steel splash back with insulated Cu or MDPE pipe work with in-line double check valve. Finished install height 1.1m part buried, total pillar height 1.5m.

The installer is responsible for ensuring the suitability of the specification for the application.

Standard parts, alternative configuration on request:

Part No.	Description
FS015	FOX Sampling Point pillar, olive green gel-coat finish, chrome sampling tap fitted with insulated 15 Cu pipe-work and in-line double check valve
FS050	As above with 20mm MDPE pipe-work.

Dimensions:

